

APPENDIX C

Expenses in Hatfield 4.0 Model

Expense Group: Network Expenses

Explanation: Maintenance and repair of various categories of investment - outside plant (e.g., NID, drop, distribution, Service Area Interface, Circuit equipment, Feeder plant) and Central office equipment (e.g., switch)

Data Origin: New England Telephone Company Incremental Cost Study (switching and circuit operating expenses), Hatfield Consultant (NID), FCC ARMIS 43-03 (everything else).

- 6212 Digital Electronic Expense
- 6230 Operator Systems Expense
- 6232 Circuit Equipment Expense
- 6351 Public
- 6362 Other Terminal Equipment
- 6411 Poles
- 6421 Aerial Cable
- 6422 Underground Cable
- 6423 Buried Cable
- 6426 Intrabuilding Cable
- 6431 Aerial Wire
- 6441 Conduit Systems

Amount Determination: Expense-to-Investment ratio (NET Study, ARMIS); Dollar per Line for NID.

Application: Determine cost by multiplying Expense-to-Investment ratio times modeled investments; Determine NID cost by multiplying Dollar-per-Line times number of lines

Expense Group: Network Operations

Explanation: Network related expenses needed to manage the network but not accounted for on a plant type specific basis

Data Origin: ARMIS 43-03

- 6512 Provisioning Expenses
- 6531 Power Expenses
- 6532 Network Administration
- 6533 Testing
- 6534 Plant Operations Administration
- 6535 Engineering

Amount Determination: Hatfield default Network Operations Factor 50% times the embedded amount in ARMIS.

Application: Determine cost by allocating to unbundled network elements (UNEs) equiproportionally relative to UNE direct costs. Cost of "Network Administration" is allocated to traffic sensitive (i.e., switching, signaling and interoffice) UNEs only.

Expense Group: Network Support and Miscellaneous

Explanation: Miscellaneous expenses needed to support day to day operations

Data Origin: ARMIS 43-03

6112 Motor Vehicles	Hatfield: Network Support
6113 Aircraft	Hatfield: Network Support
6114 Special Purpose Vehicles	Hatfield: Miscellaneous
6116 Other Work Equipment	Hatfield: Miscellaneous

Amount Determination: In essence, embedded ARMIS levels are scaled to reflect the relative change in either cable and wire (C&W) investment for Network Support Expenses or total investment for Miscellaneous Expenses in the modeled results versus ARMIS. For example:

Hatfield Cost

= Embedded ARMIS Expense x (Hatfield C&W Inv./ARMIS C&W Inv.)

The rationale is that these costs will be lower in a forward-looking cost study.

Application: Determine cost by allocating to unbundled network elements (UNEs) equiproportionally relative to direct costs

Expense Group: Other Taxes

Explanation: Taxes paid on gross receipts and property (i.e., 7240 Other Operating Taxes)

Data Origin: Hatfield expert estimate of 5% is based on overall Tier 1 Company ratio of ARMIS 7240 Expenses to ARMIS Revenues.

Amount Determination: Modeled costs are grossed up by 5%.

Application: Determine cost by allocating to unbundled network elements (UNEs) equiproportionally relative to direct costs.

Expense Group: Miscellaneous

Explanation: Miscellaneous expenses needed to support day to day operations

Data Origin: ARMIS 43-03

6122 Furniture

6123 Office Equipment

6124 General Purpose Computer

6121 Buildings

Amount Determination: In essence, embedded ARMIS levels are scaled to reflect the relative change in total investment in the Hatfield model versus ARMIS. For example:

Hatfield Cost

= Embedded ARMIS Expense x (Hatfield Tot. Inv./ARMIS Tot. Inv.)

The rationale is that these costs will be lower in a forward-looking cost study.

Application: Determine cost by allocating to unbundled network elements (UNEs) equiproportionally relative to direct costs.

Expense Group: Carrier-to-carrier customer service

Explanation: This category includes all carrier customer-related expenses such as billing, billing inquiry, service order processing, payment and collections. End-user retail services are not included in UNE cost development.

Data Origin: ARMIS 4304 (carrier-to-carrier cost to serve IXC access service)

7150 Service Order Processing

7170 Payment and Collections

7190 Billing Inquiry

7270 Carrier Access Billing System

Amount Determination: Hatfield multiplies embedded amount (across Tier 1 LECs) times 70% to get \$1.69 per line per year. The cost is determined by multiplying the cost per line times the number of lines. This figure includes the above business office activities, hence there is no need for a separate non-recurring charge to account for this activities. The underlying data that the UNE costs were developed from include other types of non-recurring costs outside the business office. Most of the non-recurring costs are captured in the Hatfield UNE estimate.

Application: Determine cost by allocating to unbundled network elements (UNEs) equiproportionally relative to direct costs.

DRAFT -- 8/1/97

Expense Group: Variable Overhead

Explanation: Executive, Planning and General and Administrative costs

Data Origin: ARMIS 43-03

6711 Executive
6712 Planning
6721 Accounting & Finance
6722 External Relations
6723 Human Resources
6724 Information Management
6725 Legal
6726 Procurement
6727 Research & Development
6728 Other General & Administrative

Amount Determination: Hatfield estimates 10.4% multiplier based on AT&T public data.

	<u>\$Mill</u>	<u>Source</u>
A Rev. Net of Settlements	36,877	Form M 1994
B Settlement Payout	4,238	Intl Traffic Data 1/19/96
C Gross Revenues	41,115	A + B
D Corporate Operations	3,879	Form M 1994
E Revenue less Corp. Op.	37,236	C - D
F Ratio	10.4%	D/E

Application: Cost is determined by multiplying the sum of all costs by 1.104.

Expense Group: Carrier-to-carrier Uncollectibles

Explanation: Revenues not realized associated with services provided (i.e., delinquency, fraud)

Data Origin: Company-specific ratio calculated from ARMIS 4304 Uncollectibles to ARMIS Access Revenues.

Amount Determination: Modeled costs are grossed up by the uncollectible rate.

Application: Determine cost by allocating to unbundled network elements (UNE) equiproportionally relative to direct costs.

APPENDIX D

Network Operations Reduction

No matter what area of network operations one looks at, one observes a rich set of target opportunities for cost savings. In Account 6512, Network Provisioning, new technologies such as the Telecommunications Management Network (TMN) standards, procedures, and systems, and Digital Cross-Connect Systems (DCS) provide for much more centralized access and control, and self-provisioning by customers (including, and especially, knowledgeable CLECs). Given the tiered nature of TMN, where there are element, network, service, and business layers of management, some of the advantages of TMN will redound to the benefit of plant-specific expenses, while others, associated with the network, service and business management layers, will benefit the more-general activities included in network operations. DCS, with its higher investment cost but favorable impact on expenses, is assumed in HM 3, whereas it was not assumed in HM 2.2.2.

The use of Electronic Data Interchange, intranet technology, and technologies such as bar coding provide substantial opportunities to reduce the costs of the inventory component of this category of accounts. On the human resources side, there is a greater emphasis on quality control in provisioning activities, reducing incipient failures in the services and elements provided.

As far as power expenses, Account 6531, digital components typically consume less power than their analog counterparts. Furthermore, centralization in other expense categories also spills over into this category, since centralization implies fewer buildings to power less of the time. Finally, due to the onset of competition in the electric power industry and the greater regulatory scrutiny of new generation resources, the industry is increasingly willing to provide price reductions to large business (and, increasingly, even residential and small business) customers. It is now quite common for firms to participate in energy programs in which, in exchange for reducing consumption during peak hours, they receive substantial discounts in the cost of power.

Network Administration, Account 6532, benefits from the deployment of SONET-based transport, because many administration activities are oriented to reacting to outages, which are lessened with the deployment of newer technologies. Testing, Account 6533, also benefits from the better monitoring and reporting capabilities provided by TMN and SONET. This can lead to more proactive, better-scheduled preventative maintenance. On the human resources side, there is a growing tendency for testing activities to be taken over by contractors, leading to lower labor costs for the ILECs. To the extent the activities are still performed by telephone company personnel, they can be performed by personnel with lower job classifications. Finally, the use of "hot spares" can reduce the need for out-of-hours dispatch and emergency restoral activities. Overall, fiber and SONET projects are often "proven in" partly on the assumption that they will produce significant operational savings.

Plant Operations and Administration, Account 6534, is likely to require fewer supervisory personnel, and more involvement by the vendors of equipment to the ILECs. For instance, as vendors take over many of the installation and ongoing maintenance activities associated with their equipment, there will be fewer ILEC engineers requiring management. The use of multi-skilled craft people will allow for fewer specialists to be sent out to address particular problems, and less supervision to manage the people that are sent out. It will, for instance, allow for greater span of control in supervisory and management ranks.

Finally, Engineering, Account 6535, will be more focused on activities associated with positioning the ILECs in a multi-entrant marketplace, less on the engineering of specific elements and services, as those activities become more automated and more in the hands of the purchasers of unbundled elements. To the extent that engineering addresses particular projects, or categories of projects, the use of better planning

tools, such as the ability to geocode customer locations and sizes, will act to reduce the amount of such activities.

Additional specific reasons for adjusting the embedded level of these expenses include the following:

Recognize industry trends and the opportunities for further reductions. Network operations expenses, expressed on a per line basis, have already declined over the past several years. For the reasons described in the previous section, this trend is expected to continue as modern systems and technologies are deployed.

Eliminate incumbent LEC retail costs from the network operations expense included in the cost for unbundled network elements. A number of the sub-accounts (6533 Testing and 6534 Plant Operations Administration) include costs that are specific to retail operations that are not appropriately included in the cost calculated for unbundled network elements. A portion of the expenses booked to these sub-accounts represent activities that new entrants, rather than the incumbent LEC, will be performing. Analysis indicates that, as a conservative measure, 20% of the expenses in these two sub-accounts represent such retail activities and should be excluded. Since these two sub-accounts represent 56% of the total booked network operations expense, it is reasonable to conclude that, at a minimum, an additional 11% reduction should be applied to the historic booked levels of network operations expense.

Incorporate incumbent LEC expectations of forward-looking network operations expense levels. The Benchmark Cost Proxy Model ("BCPM"), sponsored by PacTel, Sprint, and US West, consistently calculates a level network operations expense per line that is well below historic levels and below the level calculated by the Hatfield Model. This projection of forward-looking network operations expenses, prepared for and advocated by three incumbent LECs, indicates that the Hatfield Model adjustment to the embedded levels of these expenses are appropriate and necessary (and may yield cost estimates that are conservatively high).

Minimize double counting of network operations expenses. A careful review of the way ARMIS account 6530 and the related sub-accounts (6531 Power, 6532 Network Administration, 6533 Testing, 6534 Plant Operations Administration, and 6535 Engineering) are constructed makes it clear that further adjustment is necessary to accurately produce forward-looking costs. Many of the engineering and administrative functions that are included in these accounts are recovered by the incumbent LECs through non-recurring charges. Without such an adjustment, these costs may be double-recovered through existing non-recurring charges and simultaneously through the recurring rates based on the Hatfield Model results. Similarly, double recovery is possible because these accounts are constructed as so-called "clearance accounts" where expenses are booked before they are assigned to a specific project. Without an adjustment, these expenses could be recovered as service or element-specific costs and as the shared costs represented by network operations expense.

INDEX:

- Aerial and Buried Drop Structure Fractions, 15
- Aerial and Buried Terminal and Splice per Line, 16
- Alternative Central Office Switching Expense Factor, 107
- Alternative Circuit Equipment Factor, 108
- Analog Line Circuit Offset for DLC Lines, per Line, 68
- Annual to daily usage reduction factor, 76
- Appendix A, 124
- Appendix B, 125
- Appendix C, 131
- Appendix D, 134
- Average Lines per Business Location, 15, 110
- Billing/bill Inquiry, 106
- Buried Copper Cable Sheath Multiplier, 21
- Buried Drop Sharing Fraction, 14
- BURIED EXCAVATION, 114
- BURIED INSTALLATION AND RESTORATION, 114
- Buried Sheath Addition-Fiber Interoffice, 83
- Business Penetration Ratio, 70
- Busy Hour Call Attempts
 - Residential/Business, 77
- Busy Hour Fraction of Daily Usage, 76
- C Link Cross-Section, 95
- Cable
 - 24 Gauge & 26 Gauge, 18
 - Distribution Cable Sizes, 18
 - Distribution, Cost per foot Installed, 18
 - Riser Cable, Size & Gauge, 20
- Cable Cost
 - Copper Feeder Cable Cost per foot, 55
 - Fiber Feeder Cable, 56
- Call Completion Fraction, 74
- Carrier-Carrier Customer Service per Line, 109
- Channel Bank Investment, per 24 Lines, 80
- Channel Unit Investment
 - GR-303 & Low Density DLC Channel Unit Investment, 59
 - T-1 Channel Unit Investment, 42
- Common Equipment Investment
 - GR-303 & Low Density DLC, 59
 - Per additional increment of GR-303 & Low Density DLC capacity, 61
 - Remote T-1 Multiplexer Common Equipment Investment, 42
- Conduit
 - Innerduct Material Investment, 50
 - Material Investment per foot, 22
 - Material Investment per foot Graph, 22
 - Spare ducts per route-Distribution & Feeder, 23
- Spare tubes per route-Distribution & Feeder, 23
- Spare tubes per route-Interoffice, 83
- Copper Feeder
 - Cable Cost per foot, 55
 - Manhole Spacing, 48
 - Pole Spacing, 48
 - Structure Fractions, 47
- Copper Feeder Pole Investment, 49
- Copper Maximum Distance
 - Local RT (per Cluster) Thresholds - Maximum Total Distance, 38
- Corporate Overhead Factor, 106
- COST OF CAPITAL AND CAPITAL STRUCTURE, 103
- COT
 - Investment per T-1 RT, 43
- Dedicated Circuit Inputs
 - Pairs per Dedicated Circuit, 46
 - Percentage of Dedicated Circuits, 46
- DEPRECIATION AND NET SALVAGE, 104
- Difficult Terrain Distance Multiplier, 36
- Digital Cross Connect System, Installed, per DS-3, 81
- Directory Listing, 107
- Direct-routed Fraction of Local Inter-office, 89
- Distribution Cable
 - Cost per foot, Installed, 18
 - Distribution Cable Sizes, 18
 - Fill Factors, 34
 - Riser Cable, Size & Gauge, 20
- Distribution Pole Spacing, 34
- DLC
 - Analog Line Circuit Offset for DLC Lines, per Line, 68
 - Channel Unit Investment, 59
 - Common Equipment Investment per Additional Line Increment, 61
 - COT Investment per T-1 RT, 43
 - Initial Common Equipment Investment, 59
 - Integrated T-1 COT Investment, 42
 - Lines per Channel Unit, 59
 - Low Density DLC to GR-303 DLC Cutover, 60
 - Maximum Line Size per Remote Terminal, 58
 - Maximum Number of Additional Line Modules per Remote Terminal, 62
 - Remote T-1 Multiplexer Common Equipment Investment, 42
 - Remote Terminal Fill Factor, 58
 - Site and Power per Remote Terminal, 58

T-1 Channel Unit Investment per Subscriber, 42
 Drop
 Aerial & Buried Drop Structure Fractions, 15
 Aerial Drop Placement-Labor Components, 13
 Aerial Drop Wire Material Cost per foot, 16
 Buried Drop Placement-Cost per foot-Graph, 13
 Buried Drop Sharing Fraction, 14
 Buried Drop Wire Material Cost per foot, 16
 Drop Distance, 12
 Drop Placement-Aerial & Buried, 12
 Drop Wire Material Cost per foot Graph, 17
 Pairs per Aerial Drop, 16
 Pairs per Buried Drop, 16
 DS-0/DS-1 Terminal Factor, 109
 DS-1/DS-3 Terminal Factor, 109
 End Office Non Line-Port Cost Fraction, 108
 End Office Switching Investment Constant Term, 69
 End Office Switching Investment Slope Term, 69
 Entrance Facility Distance from Serving Wire Center & IXC POP, 92
 EXCAVATION AND RESTORATION, 111
 EXPENSE, 103
 Expenses in Hatfield 4.0 Model, 131
 Fiber Cable Investment
 Interoffice, 81, 82
 Fiber Feeder
 Buried Fiber Sheath Addition, 52
 Copper Feeder Maximum Distance, 60
 Copper/Fiber Break-even distance, 60
 Fiber Feeder Cable Cost per foot, 56
 Fiber Strands per Remote Terminal, 60
 Optical Patch Panel Investment, 60
 Pullbox Investment-Fiber Feeder, 65
 Pullbox Spacing, 52
 Structure Fractions, 51
 Fiber feeder distance threshold, 60
 Fill Factors
 Copper Feeder Cable, 53
 Distribution Cable, 34
 Fiber Feeder, 53
 Remote Terminal Fill Factor, 58
 Forward-looking Network Operations Factor, 107
 Fraction of BHCA Requiring TCAP, 96
 Fraction of Interoffice Structure Common with Feeder, 86
 Fraction of SA Lines Requiring Multiplexing, 80
 Fraction of Structure Assigned to Telephone, 87
 GR-303 DLC remote terminal fill factor, 58
 Hard Rock Placement Multiplier, 36
 Hatfield Model, Release 4.0
 Hatfield Associates, Inc.
 Holding Time Multiplier
 Residential, 77
 ICO C-Link / Tandem A-Link Investment, per Line, 101
 ICO Local Tandem Investment, per Line, 100
 ICO Local Tandem Wire Center Investment, per Line, 101
 ICO OS Tandem Investment, per Line, 100
 ICO OS Tandem Wire Center Investment, per Line, 101
 ICO PARAMETERS, 100
 ICO SCP Investment, per Line, 100
 ICO STP Investment, per Line, 100
 ICO STP/SCP Wire Center Investment, per Line, 101
 Income Tax Rate, 106
 Initial Common Equipment Investment
 GR-303 & Low Density DLC, 59
 Innerduct Material Investment, 50
 InterLATA Interstate Calls Completed, 74
 InterLATA Intrastate Calls Completed, 74
 Interoffice Pole Material and Labor, 85
 Interoffice Structure Sharing Fraction, 87
 Interoffice Transmission Terminal Configuration (Fiber Ring), 124
 Interstate bus/res DEMs, 76
 Interstate Business/Residential DEMs, 76
 Interstate DEMs, Thousands, 75
 IntraLATA Calls Completed, 74
 Intrastate bus/res DEMs, 76
 Intrastate Business/Residential DEMs, 75
 Intrastate DEMs, Thousands, 75
 Investment per Operator Position, 98
 ISUP Message Length, 95
 ISUP Messages per Interoffice BHCA, 95
 Labor Adjustment Factor, 23
 Lines per Channel Unit-GR-303 & Low Density DLC, 59
 Link Occupancy, 94
 Link Termination, 94
 LNP Cost, per Line, 108
 Local Bus/Res DEMs Ratio, 75
 Local Business/Residential DEMs Ratio, 75
 Local Call Attempts, 74
 Local DEMs, Thousands, 75
 Local RT (per Cluster) Thresholds - Maximum Total Distance, 38
 Long Loop Investments, 41
 COT Investment per T-1 RT, 43
 Integrated T-1 COT Investment, 42
 Remote T-1 Multiplexer Common Equipment Investment, 42
 T-1 Channel Unit Investment per Subscriber, 42

- T-1 Repeater Investments, 41
- Lot Size
 - Maximum Lot Size, Acres, 40
 - Town Lot Size, Acres, 40
- Low Density DLC
 - Low Density DLC to GR-303 DLC Cutover, 60
- Low Density DLC to GR-303 DLC Cutover, 60
- Manhole Investment
 - Interoffice, 85
- Manholes
 - Manhole Excavation & Backfill Graph, 64
 - Manhole Investment-Copper Feeder, 63
 - Manhole Material Graph, 63
 - Pullbox Investment-Fiber Feeder, 65
 - Pullbox spacing-Fiber Feeder, 52
 - Pullbox spacing-Interoffice, 84
 - Spacing-Copper Feeder, 48
- Maximum Line Size per Remote Terminal, 58
- Maximum Lot Size, Acres, 40
- Maximum Number of Additional Line Modules per Remote Terminal, 62
- Maximum Trunk Occupancy, 88
- Maximum Utilization per Operator Position, 98
- MDF/Protector Investment per Line, 68
- Network Operations Reduction, 134
- NID
 - Business NID - No Protector, 10
 - Business NID (6 Pair) without Protector-Material Graph, 11
 - NID Protection Block per Line, 10, 11
 - NID Protector Block per Line-Material Graph, 10, 11
 - Residential NID Cost without Protector, 9
 - Residential NID without Protector-Material Graph, 9
- NID Expense, 109
- NID Investment
 - Default Values, 9
- Number of Strands per ADM, 82
- Operator Intervention Factor, 98
- Operator Traffic Fraction, 88
- Optical Distribution Panel-Interoffice, 79
- Optical Patch Panel Investment, Fiber Feeder, 60
- OTHER EXPENSE INPUTS, 106
- Other Taxes Factor, 106
- OVERVIEW, 8
- Pairs per Dedicated Circuit, 46
- Percentage of Dedicated Circuits, 46
- Placement of Transport, 83
- Pole Investment
 - Copper Feeder, 49
 - Distribution, 21
 - Material & Labor Cost Graph, 21
- Hatfield Model, Release 4.0
- Hatfield Associates, Inc.

- Pole Spacing
 - Copper Structure, 48
 - Interoffice, 85
- Poles
 - Interoffice Pole Material & Labor, 85
 - Pole Spacing-Feeder, 48
 - Spacing - Distribution, 34
- POPs per Tandem Location, 90
- Port Limit, Trunks, 91
- Power Investment, 71
- Prices
 - Potential Retaliation Against Suppliers, 8
 - Telecommunications Suppliers, 8
- Processor Feature Loading Multiplier, 69
- Public Telephone Investment, 98
- Pullbox Investment
 - Fiber Feeder, 65
 - Interoffice, 85
- Pullbox Spacing
 - Fiber Feeder, 52
 - Interoffice, 84
- Real Time Limit, BHCA, 91
- Real Time Limit, BHCA, Trunks, 91
- Regenerator Investment, 79
- Regenerator Spacing, 80
- Regional Labor Adjustment Factor, 23
 - Effect on Aerial Drop Installation, 28
 - Effect on Buried Drop Installation, 29
 - Effect on Buried Installation, 24
 - Effect on Conduit Installation, 24
 - Effect on Copper Distribution Cable Installation, 26
 - Effect on Copper Feeder Cable Installation, 26
 - Effect on Fiber Feeder Cable Installation, 27
 - Effect on Fiber Pullbox Installation, 25
 - Effect on Indoor SAI Installation, 28
 - Effect on Manhole Installation, 25
 - Effect on NID Installation, 28
 - Effect on Outdoor SAI Installation, 27
 - Table of State Values, 29
- Remote Terminal Fill Factor, 58
- Repeaters
 - T-1 Repeater Investments, Long Loops, 41
- Riser Cable Size and Cost per Foot, 20
- Rock Depth Threshold, Inches, 36
- SAI Investment, 44
- SCP Investment per Transaction per Second, 96
- Sharing
 - Buried Drop Sharing Fraction, 14
- Sidewalk/Street Fraction, 37
- Signaling Link Bit Rate, 94
- Site and Power per Remote Terminal, 58
- Soft Rock Placement Multiplier, 37
- Spare Conduit tubes per route-Distribution &

Feeder, 23	89
Spare ducts per route-Distribution & Feeder, 23	Tandem Routed % of Total IntraLATA Traffic, 89
Spare tubes per route-Interoffice, 83	
STP Link Capacity, 93	Tandem/EO wire center common factor, 71
STP Maximum Common Equipment Investment, per Pair, 93	TCAP Message Length, 96
STP Maximum Fill, 93	TCAP Messages per Transaction, 95
STP Minimum Common Equipment Investment, per Pair, 93	Terminal
Structure Fractions	Terminal Material Cost Graph, 16
Copper Feeder, 47	Terminal Investment-Interoffice
Distribution, 31	EF&I Labor Cost, per hour, 79
Fiber Feeder, 51	EF&I Labor Hours, 79
Structure Percentages	Fiber Pigtails, 78
Interoffice, 82	Number of Fibers, 78
Structure Shares Assigned to Incumbent Local Telephone Companies, 125	Optical Distribution Panel, 79
Structure Sharing	Transmission Terminal Investment, 78
Interoffice, 87	Terminals
STRUCTURE SHARING FRACTION, 105	Aerial Terminal & Splice per Line, 16
SURFACE TEXTURE MULTIPLIER, 118	Buried Terminal & Splice per Line, 16
Switch Installation Multiplier, 68	Terrain
Switch maximum line size, 67	Distribution Distance Multiplier, Difficult Terrain, 36
Switch Maximum Processor Occupancy, 67	Hard Rock Placement Multiplier, 36
Switch Port Administrative Fill, 67	Rock Depth Threshold, Inches, 36
Switch Real-time Limit, Busy Hour Call Attempts, 66	Rock Saw/Trenching Ratio Graph, 37
Switch Room Size, 71	Soft Rock Placement Multiplier, 37
Switch Traffic Limit, BHCCS, 66, 67	Total Interoffice Traffic Fraction, 88
T-1 Channel Unit Investment per Subscriber, 42	Town Factor, 38
T-1 COT, Installed, 42	Town Lot Size, Acres, 40
T-1 Multiplexer Common Equipment Investment-Remote Terminal, 42	Transmission Terminal Fill (DS-0 level), 81
T-1 Repeater Investments, Installed, 41	Transport Placement, 83
Tandem Common Equipment Intercept Factor, 92	Trunk Fill (Port Occupancy), 91
Tandem Common Equipment Investment, 91	Trunk Termination Investment, 88
Tandem Real Time Occupancy, 92	Trunk Utilization, 110
Tandem Routed % of Total InterLATA Traffic,	UNDERGROUND EXCAVATION, 111
	UNDERGROUND RESTORATION, 111
	Wire Center
	Construction Costs, 72
	Land Price, 72
	Lot Size, 71

CERTIFICATE OF SERVICE

I, Scott M. Bohannon, do hereby certify that on this 17th day of October, 1997, I caused a copy of the foregoing Comments of AT&T Corp. and MCI Telecommunications Corporation on Customer Location Issues to be served upon each of the parties listed on the attached Service List by U.S. First Class mail, postage prepaid.

/s/ Scott M. Bohannon

Scott M. Bohannon

SERVICE LIST

The Honorable Reed E. Hundt
Chairman
Federal Communications Commission
1919 M Street, N.W., Room 814
Washington, D.C. 20554

The Honorable Rachelle B. Chong
Commissioner
Federal Communications Commission
1919 M Street, N.W., Room 844
Washington, D.C. 20554

The Honorable Susan Ness
Commissioner
Federal Communications Commission
1919 M Street, N.W., Room 832
Washington, D.C. 20554

The Honorable James H. Quello
Commissioner
Federal Communications Commission
1919 M Street, N.W., Room 802
Washington, D.C. 20554

The Honorable Julia Johnson
State Chair
Chairman
Florida Public Service Commission
2540 Shumard Oak Boulevard
Gerald Gunter Building
Tallahassee, FL 32399-0850

The Honorable David Baker
Commissioner
Georgia Public Service Commission
244 Washington Street, S.W.
Atlanta, GA 30334-5701

The Honorable Sharon L. Nelson
Chairman
Washington Utilities and
Transportation Commission
1300 South Evergreen Park Dr., SW
P.O. Box 47250
Olympia, WA 98504-7250

The Honorable Laska Schoenfelder
Commissioner
South Dakota Public Utilities Commission
State Capitol, 500 East Capitol Street
Pierre, SD 57501-5070

Martha S. Hogerty
Missouri Office of Public Council
301 West High Street, Suite 250
P.O. Box 7800
Jefferson City, MO 65102

Tom Boasberg
Office of the Chairman
Federal Communications Commission
1919 M Street, N.W., Room 814
Washington, D.C. 20554

Charles Bolle
South Dakota Public Utilities Commission
State Capitol, 500 East Capitol Street
Pierre, SD 57501-5070

Deonne Bruning
Nebraska Public Service Commission
300 The Atrium, 1200 N Street
P.O. Box 94927
Lincoln, NE 68509-4927

James Casserly
Commissioner Ness' Office
Federal Communications Commission
1919 M Street, N.W., Room 832
Washington, D.C. 20554

Rowland Curry
Texas Public Utility Commission
1701 North Congress Avenue
P.O. Box 13326
Austin, TX 78701

Bridget Duff, State Staff Chair
Florida Public Service Commission
2540 Shumard Oak Blvd.
Tallahassee, FL 32399-0866

Kathleen Franco
Commissioner Chong's Office
Federal Communications Commission
1919 M Street, N.W., Room 844
Washington, D.C. 20554

Paul Gallant
Commissioner Quello's Office
Federal Communications Commission
1919 M Street, N.W., Room 802
Washington, D.C. 20554

Emily Hoffnar, Federal Staff Chair
Federal Communications Commission
Accounting and Audits Division
Universal Service Branch
2100 M Street, N.W., Room 8617
Washington, D.C. 20554

Lori Kenyon
Alaska Public Utilities Commission
1016 West Sixth Avenue, Suite 400
Anchorage, AK 99501

Debra M. Kriete
Pennsylvania Public Utilities
Commission
North Office Building, Room 110
Commonwealth and North Avenues
P.O. Box 3265
Harrisburg, PA 17105-3265

Sandra Makeef
Iowa Utilities Board
Lucas State Office Building
Des Moines, IA 50319

Philip F. McClelland
Pennsylvania Office of Consumer
Advocate
1425 Strawberry Square
Harrisburg, PA 17120

Thor Nelson
Colorado Office of Consumer Counsel
1580 Logan Street, Suite 610
Denver, CO 80203

Barry Payne
Indiana Office of Consumer Counsel
100 North Senate Avenue
Room N501
Indianapolis, IN 46204-2208

Timothy Peterson, Deputy Division Chief
Federal Communications Commission
Accounting and Audits Division
2100 M Street, NW, Room 8613
Washington, D.C. 20554

James B. Ramsay
National Association of Regulatory
Utility Commissioners
1100 Pennsylvania Avenue, NW
P.O. Box 684
Washington, D.C. 20044-0684

Brian Roberts
California Public Utilities Commission
505 Van Ness Avenue
San Francisco, CA 94102

Kevin Schwenzfeier
NYS Dept. of Public Service
3 Empire State Plaza
Albany, NY 12223

Tiane Sommer
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334-5701

Sheryl Todd (plus 8 copies)
Federal Communications Commission
Accounting and Audits Division
Universal Service Branch
2100 M Street, NW, Room 8611
Washington, D.C. 20554

Margot Smiley Humphrey, Esq.
Koteen & Naftalin, L.L.P.
1150 Connecticut Avenue, N.W.
Suite 1000
Washington, D.C. 20036

Irwin, Campbell & Tannenwald, P.C.
1730 Rhode Island Avenue, N.W.
Suite 200
Washington, D.C. 20036

Joe D. Edge, Esq.
Drinker Biddle & Reath LLP
901 Fifteenth Street, N.W.
Suite 900
Washington, D.C. 20005

Robert A. Mazer, Esq.
Vinson & Elkins, LLP
1455 Pennsylvania Avenue, N.W.
Washington, D.C. 20004-1008

Michael S. Pabian
2000 West Ameritech Center Drive
Room 4H86
Hoffman Estates, IL 60196-1025

Lawrence W. Katz, Esq.
1320 North Court House Road
8th Floor
Arlington, VA 22201

Joseph Di Bella, Esq.
1300 I Street, N.W.
Suite 400 West
Washington, D.C. 20005

M. Robert Sutherland, Esq.
1155 Peachtree Street, N.E.
Suite 1700
Atlanta, GA 30309-3610

David N. Porter
Vice President - Government Affairs
WorldCom, Inc.
1120 Connecticut Ave. NW
Suite 400
Washington, DC 20036

Gail L. Polivy
GTE Service Corporation
1850 M Street, NW
Suite 1200
Washington, DC 20036

Robert B. McKenna
Suite 700
1020 19th Street, NW
Washington, DC 20036

Jay C. Keithley
1850 M Street
Suite 1110
Washington, DC 20036

Robert M. Lynch, Esq.
Southwestern Bell Telephone Company
One Bell Center, Room 3524
St. Louis, MO 63101

Larry A. Peck, Esq.
2000 West Ameritech Center Drive
Room 4H86
Hoffman Estates, IL 60196-1025

Jeffrey S. Linder
Wiley, Rein & Fielding
1776 K Street, NW
Washington, D.C. 20006

Kathleen Q. Abernathy
AirTouch Communications, Inc.
1818 N Street, NW
Suite 800
Washington, D.C. 20036

Florida Public Service Commission
Cynthia B. Miller
Capital Circle Office Center
2540 Shumard Oak Boulevard
Tallahassee, FL 32399-0850

Rural Utilities Service
Adam Golodner
Deputy Administrator
1400 Independence Avenue, SW
Washington, D.C. 20250

Northern Telecom, Inc.
Stephen L. Goodman
Halprin Temple Goodman & Sugrue
1100 New York Avenue, N.W.
Suite 650 East Tower
Washington, D.C. 20005

John G. Lamb, Jr.
Northern Telecom Inc.
2100 Lakeside Boulevard
Richardson, TX 75081-1599